



GENERATOR STATOR

GENERATOR IS CONNECTED IN DELTA WHEN SWITCH CONTACTS ARE IN POSITION SHOWN.

SCHEMATIC DIAGRAM
 SWITCHABLE 3 PHASE GENERATOR
 480/277/120 VOLT WYE
 208/120 VOLT WYE-WYE
 240/120 VOLT DELTA

NOTES:

1. REMOVE JUMPER FOR ISOLATED NEUTRAL APPLICATIONS.
2. ANY CHANGES ON THIS DRAWING MUST BE CARRIED THRU ON LABEL DRAWING B-91649-25.

ALL DIMENSIONS GIVEN IN INCHES - WORK TO DIMENSIONS - DO NOT SCALE - SAMPLES MUST BE APPROVED BY DYNA TECHNOLOGY ENGINEERING DEPT. BEFORE PROCEEDING WITH PRODUCTION					
- TOLERANCES (UNLESS OTHERWISE SPECIFIED): FRACTIONS TO THE NEAREST 1/16" DECIMALS .006 PUNCHED HOLES + .004 - .000 ANGLES ± 1°					
DRAWN BY	DATE	CHKD BY	DATE	APPRD BY	FIGURE NO
D.M.W.	9-19-84	RH		RH	11-1981
MATERIAL					
FINISH					
ASSY					
MODEL 55ADS-23EPT					
GENERATOR SCHEMATIC					
Dyna Technology Inc. Le Center, MN 56057					
B-95700					

PART NO.	QUAN.	NAME	DETAILS
----------	-------	------	---------

ISSUE	REVISION	DATE	BY	AUTH.
-------	----------	------	----	-------