

PN 92131-1

SAE 4/10/8 - 2 7/16"


QTY	PART NUMBER	DESCRIPTION
1	58650	TRAILER
1	91662	ENGINE HR3
1	91689	OIL PRESSURE GAUGE
1	92134-2	CONTROL BOX ASSEMBLY
1	92149	START SOLENOID ASSEMBLY
1	91337	FAN END COVER
1	91413	ROTATING RECTIFIER ASSEMBLY
1	91442	EXCITER ROTOR
1	91654-1	COMPLETE ROTOR
1	91613-1	STATOR & BAR RING
1	91665	EXCITOR STATOR
1	91614	BAR & RING
1	91668	STATOR
1	81097-6	CIRCUIT BREAKER 80 AMP
1	81111-1	VOLTAGE REGULATOR KR4FF BASLER
1	23772	START SWITCH
1	24749	115 V 15 AMP DUPLEX RECEPTACLE
1	56279	RECEPTACLE HUBBELL 2310
1	56281	RECEPTACLE HUBBELL 2320
1	57030	CIRCUIT BREAKER 50 AMP
1	57030-1	CIRCUIT BREAKER 20 AMP
1	58166-1	HOUR METER
1	81762-2	FIELD CIRCUIT BREAKER
1	81812-3	VOLTMETER 0-600
2	91286	CIRCUIT BREAKER 15 AMP
1	91286-1	CIRCUIT BREAKER 20 AMP
1	91688	SAFETY LATCHING RELAY
1	91694	AMMETER
1	91889	RECEPTACLE 50 AMP
1	91691	SELECTOR SWITCH (ASSEMBLY 91730)
1	81111-2	RHEOSTAT
1	80890	START SOLENOID (ONLY)
2	91452	RECTIFIER
1	91455	SURGE SUPPRESSOR
4	92106-1	VIBRATION MOUNTS

92291-3

92114-2

SPACER (doped)
Con Assy.

89186



NOTE:
 1. DRESS ALL LEADS NEATLY AWAY FROM MOVING PARTS AND SHARP CORNERS.
 2. REMOVE EXHAUST LUGS & REPLACE WITH ITEM # 9 OF 11 OR 12 WHERE SPECIFIED.

ALL DIMENSIONS GIVEN IN INCHES—WORK TO DIMENSIONS—DO NOT SCALE—TOLERANCES UNLESS OTHERWISE SPECIFIED—PRECISION DIMENSIONS ± .005 FINISHED HOLES ± .004 ± .000	
DATE	BY
7-28-79	WML B-999
REV.	DATE
1	9-12
MATERIAL	
QTY.	BY
1	WML
WIRING DIAGRAM TERMINATION AS SHOWN	
DATE	BY
FEB 1 1980	WML
DIVISION OF DYNA TECHNOLOGY	
DATE	BY
1	ORIGINAL
ISSUE	REVISION
1	ORIGINAL

WINCO Division of DYNA TECHNOLOGY, INC. LaCrosse, WI 54601
 C-92168

QTY.	DESCRIPTION	UNIT
2	LEAD WIRE ASSY	WHT.
2	LEAD WIRE ASSY	
1	CONNECTOR	
1	INSULATION SLEEVE	
1	CONNECTOR	
2	TERMINAL LUG	See Note 2
1	FLATWASHER	# 2052A
1	CABLE TIE	Not shown
1	LEAD WIRE ASSY	BLK
1	LEAD WIRE ASSY	BLK
1	LEAD WIRE ASSY	RED
1	LEAD WIRE ASSY	BLK
2	TERMINAL LUG	

